



# Wheel Fitment Guide

2011

# IMPORTANT WHEEL GUIDE INFORMATION

## PLEASE READ!

This guide is presented as a general sales and reference guideline for Dick Cepek wheels ONLY. Due to variances in vehicle manufacturing, the fitment data listed in this guide provides suggestions for wheel selection and is not guaranteed to be free of flawed data; for this reason Dick Cepek Tires & Wheels recommends that all wheels be test fit on each vehicle prior to the mounting of tires to the wheels. Different suspension lift manufacturer's requirements may vary. For lifted and/or modified vehicles, always check with the vehicles' suspension lift manufacturer to determine their suggested specifications for wheels to be used with their suspension lifts. These suggestions in no way express or imply safety of fitness of the vehicle or the minimum changes which may be required to install Dick Cepek wheels. The correct, 60-degree, conical-bulge seat lug nuts must be used to insure the wheel is seated and centered properly to the vehicle's hub. All wheel lug nuts must be re-torqued after driving the vehicle 100 miles. For additional information, the user and/or installer may refer to [www.dickcepek.com](http://www.dickcepek.com) or contact the Dick Cepek Tires & Wheels tech department at (800)222-9092.

## CAUTION!

If changing the overall tire diameter from the original, the speedometer accuracy and anti-lock brake system (ABS) may be affected, as well as automatic transmission shift points.

## CAUTION!

Vehicles should not be fitted with smaller diameter wheels than the original equipment wheels as resulting clearance issues may arise due to diameter/offset changes. Always test fit wheels for clearance before mounting tires.

## LIMITED LIFETIME WARRANTY

Dick Cepek Tires & Wheels warrants to the original purchaser that a new Dick Cepek wheel is free from defects in material and workmanship and agrees to replace a Dick Cepek wheel which fails in normal use and service resulting from defects in material and workmanship for the life of the vehicle for which said wheel was intended and purchased for. Dick Cepek Tires & Wheels does not warrant any wheel which and has been subject to misuse or abuse including the following: (A) Using tires which are oversized according to the standards recommended by the Tire and Rim Association, Inc.; (B) Loading the wheel beyond the applicable maximum wheel load as specified by Dick Cepek Tires & Wheels; (C) Any type of racing or activity which subjects wheels to the abuse of racing, whether on the road or off; (D) Inflating beyond the maximum pressure specified on any given tire size as specified by Dick Cepek Tires & Wheels; (E) Changing or altering the original condition of the wheel or by subjecting it to any processing such as welding or straightening.

There is no warranty that wheels neither are merchantable or satisfactory for any particular purpose nor is there any other warranty expressed or implied except as set forth herein. Dick Cepek Tires & Wheels shall not be liable for any incidental or consequential damages for any breach of warranty, its liability and the purchaser's exclusive remedy being expressly limited to replacement of defective wheel, as herein provided. Replacement will be handled by an authorized Dick Cepek Tires & Wheels dealer or Dick Cepek Tires & Wheels Representative. This warranty gives you specific legal rights. You may also have other rights under applicable laws. This warranty gives you specific legal rights. You may also have other rights under applicable laws.

Vehicle	Bolt Pattern	15x8	15x10	16x8	16x10	17x8.5	17x9	18x8.5	18x9	20x9	20x12
<b>CHEVY / GMC / CADILLAC</b>											
89 - 06 Tracker	5 on 5 1/2	1158401	1150401	1068402 1168401	1160401	1078402	1179402	1088402	1189402	1029402 1129402	-
04 - 10 Colorado and GMC Canyon (All except Sport)	6 on 5 1/2	1158411	1150411	1068412^ 1168412^	1160412^	1078412^	117912^	1088412^ 1088413^	1189412^	1029412^ 1029413^ 1129412^	-
04 - 10 Colorado - Sport	6 on 5 1/2	-	-	-	-	1078412^	117912^	1088412^ 1088413^	1189412^	1029412^ 1029413^ 1129412^	-
73 - 91 C10 P/U, K-5 Blazer, Jimmy, Suburban 2WD	5 on 5	-	-	1168431	-	-	1179431	-	1189431	-	-
73 - 91 K-5 Blazer, Jimmy, Suburban K1500 4WD	6 on 5 1/2	1158411	1150411	1068412^	-	-	1179412^	-	1189412^	1129412^	-
88 - 98 C/K 1500 P/U 2WD	5 on 5	-	-	1168431	-	1078431	1179431	1088431	1189431	-	-
92 - 99 Tahoe, Yukon, Suburban C1500 2WD	5 on 5	-	-	1168431	-	1078431	1179431	1088431	1189431	-	-
92 - 99 Blazer, Yukon, Tahoe, Suburban K1500 4WD	6 on 5 1/2	-	-	1068412^ 1168412^	1160412^	1078412^	1179412^	1088412^ 1088413^	1189412^	1029412^ 1029413^ 1129412^	-
73 - 87 K-10 P/U 4WD	6 on 5 1/2	1158411	1150411	1168412^	-	-	1179412^	-	1189412^	1129412^	-
88 - 98 C/K 1500 P/U 4WD	6 on 5 1/2	-	-	-	1160412^	1078412^	1179412^	1088412^ 1088413^	1189412^	1029412^ 1029413^ 1129412^	-

All Dick Cepek Wheels use acorn (conical seat) lug nuts. Dick Cepek Tires & Wheels recommends duplex acorns on vehicles with GVWR of 6500lbs or greater.

**Footnotes:**

- \* = Hub centric application - wheel includes fitment ring.
- \*\* = Hub centric factory recommended - wheel will be centered on lug nuts.
- \*\*\* = Caps included may not fit some Center Hubs

- ^ = Included hub centering ring is not needed for this application, please discard.  
Included center cap will not work on manual hub applications.
- # = Some 3/4 ton and 1 ton vehicles use extra long center caps,  
Dick Cepek Tire & Wheels currently does not offer an Extra Long Center Cap for these Vehicles

Vehicle	Bolt Pattern	15x8	15x10	16x8	16x10	17x8.5	17x9	18x8.5	18x9	20x9	20x12
<b>CHEVY / GMC / CADILLAC</b>											
99 - 06 Silverado / Sierra 1500 2WD/4WD	6 on 5 1/2	-	-	-	-	1078412*	1179412*	1088412* 1088413*	1189412*	1029412* 1029413* 1129412*	-
07 - 10 Silverado / Sierra 1500 2WD/4WD	6 on 5 1/2	-	-	-	-	1078412*	1179412*	1088412* 1088413*	1189412*	1029412* 1029413* 1129412*	-
00 - 06 Tahoe, Yukon, Yukon XL, Denali & Suburban 1500 2WD/4WD	6 on 5 1/2	-	-	-	-	1078412*	1179412*	1088412* 1088413*	1189412*	1029412* 1029413* 1129412*	-
07 - 10 Tahoe, Yukon, Yukon XL, Denali & Suburban 1500 2WD/4WD	6 on 5 1/2	-	-	-	-	1078412*	-	1088412* 1088413*	1189412*	1029412* 1029413* 1129412*	-
02 - 06 1500 Avalanche	6 on 5 1/2	-	-	-	-	1078412*	1179412*	1088412* 1088413*	1189412*	1029412* 1029413* 1129412*	-
07 - 10 1500 Avalanche	6 on 5 1/2	-	-	-	-	1078412*	-	1088412* 1088413*	1189412*	1029412* 1029413* 1129412*	-
73 - 87 20 & 30 Series P/U 2WD/4WD	8 on 6 1/2	-	-	1168482#	1160481#	-	1179481#	-	1189481#	1129481#	1121481#
88 - 98 C/K 2500 & 3500 P/U 2WD	8 on 6 1/2	-	-	1168482#	1160481#	1078482#	1179481#	1088482#	1189481#	1029482# 1129481#	1121481#
88 - 98 C/K 2500 & 3500 P/U 4WD	8 on 6 1/2	-	-	1068412# 1168482#	1160481#	1078482#	1179481#	1088482#	1189481#	1029482# 1129481#	1121481#
73 - 91 3/4 Ton Suburban 2WD/4WD	8 on 6 1/2	-	-	1168482#	1160481#	-	1179481#	-	1189481#	1129481#	-

All Dick Cepek Wheels use acorn (conical seat) lug nuts. Dick Cepek Tires & Wheels recommends duplex acorns on vehicles with GVWR of 6500lbs or greater.

**Footnotes:**

- \* = Hub centric application - wheel includes fitment ring.
- \*\* = Hub centric factory recommended - wheel will be centered on lug nuts.
- \*\*\* = Caps included may not fit some Center Hubs

- ^ = Included hub centering ring is not needed for this application, please discard.  
Included center cap will not work on manual hub applications.
- # = Some 3/4 ton and 1 ton vehicles use extra long center caps,  
Dick Cepek Tire & Wheels currently does not offer an Extra Long Center Cap for these Vehicles

Vehicle	Bolt Pattern	15x8	15x10	16x8	16x10	17x8.5	17x9	18x8.5	18x9	20x9	20x12
<b>CHEVY / GMC / CADILLAC</b>											
<b>92 - 99 Suburban C/K 2500 2WD/4WD</b>	8 on 6 1/2	-	-	1068482# 1168482#	1160481#	1078482#	1179481#	1088482#	1189481#	1029482# 1129481#	1121481#
<b>99 - 06 Silverado / Sierra 1500HD, 2500, Yukon XL/HD, Suburban HD 2WD/4WD</b>	8 on 6 1/2	-	-	-	-	1078482**	1179481**	1088482**	1189481**	1029482** 1129481**	1121481**
<b>07 - 10 Silverado / Sierra 1500HD, 2500, Yukon XL/HD, Suburban HD 2WD/4WD</b>	8 on 6 1/2	-	-	-	-	-	1179481**	-	1189481**	1129481**	1121481**
<b>02 - 06 2500 Avalanche</b>	8 on 6 1/2	-	-	-	-	1078482**	1179481**	1088482**	1189481**	1029482** 1129481**	1121481**
<b>03 - 10 Hummer - H2</b>	8 on 6 1/2	-	-	-	-	1078482**	1179481**	1088482**	1189481**	1029482** 1129481**	1121481**
<b>06 - 10 Hummer - H3</b>	6 on 5 1/2	-	-	1068412^ 1168412^	1160412^	1078412^	1179412^	1088412^ 1088413^	1189412^	1029412^ 1029413^ 1129412^	-
<b>99 - 00 Cadillac Escalade</b>	6 on 5 1/2	-	-	1068412^ 1168412^	1160412^	1078412^	1179412^	1088412^ 1088413^	1189412^	1029412^ 1029413^ 1129412^	-
<b>02 - 06 Cadillac Escalade</b>	6 on 5 1/2	-	-	-	-	1078412*	1179412*	1088412* 1088413*	1189412*	1029412* 1029413* 1129412*	-
<b>07 - 10 Cadillac Escalade</b>	6 on 5 1/2	-	-	-	-	-	-	1088412* 1088413*	1189412*	1029412* 1029413* 1129412*	-

**All Dick Cepek Wheels use acorn (conical seat) lug nuts. Dick Cepek Tires & Wheels recommends duplex acorns on vehicles with GVWR of 6500lbs or greater.**

**Footnotes:**

- \* = Hub centric application - wheel includes fitment ring.
- \*\* = Hub centric factory recommended - wheel will be centered on lug nuts.
- \*\*\* = Caps included may not fit some Center Hubs

- ^ = Included hub centering ring is not needed for this application, please discard.  
Included center cap will not work on manual hub applications.
- # = Some 3/4 ton and 1 ton vehicles use extra long center caps,  
Dick Cepek Tire & Wheels currently does not offer an Extra Long Center Cap for these Vehicles

Vehicle	Bolt Pattern	15x8	15x10	16x8	16x10	17x8.5	17x9	18x8.5	18x9	20x9	20x12
<b>CHEVY / GMC / CADILLAC</b>											
2001 G10 Van	5 on 5	-	-	1168431	-	-	-	-	-	-	-
2001 G20 Light Duty Express Van	6 on 5 1/2	-	-	1168412^	-	-	1179412^	-	1189412^	1129412^	-
2001 G20/G30 Van	8 on 6 1/2	-	-	1168482	-	-	1179481 897481 997481	-	1189481	1129481	-
95 - 02 Astro & Safari	5 on 5	-	-	-	-	1078431	-	1088431	-	-	-
03 - 05 Astro & Safari	6 on 5 1/2	-	-	1068412^	1160412^	1078412^	1179412^	1088412^ 1088413^	1189412^	1029412^ 1029413^ 1129412^	-
03 - 10 Express 1500	6 on 5 1/2	-	-	-	1160412^	1078412^	1179412^	1088412^ 1088413^	1189412^	1029412^ 1029413^ 1129412^	-
03 - 10 Express 2500	8 on 6 1/2	-	-	-	1160481#	1078482#	1179481#	1088482#	1189481#	1029482# 1129481#	1121481#
<b>DAIHATSU</b>											
82 - 91 Rocky	5 on 5 1/2	1158401	-	1168401	-	-	1179402	-	-	-	-
<b>DODGE / CHRYSLER</b>											
87 - 91 Raider / D50 4WD	6 on 5 1/2	1158411	-	1168412^	-	-	1179412^	-	-	-	-
87 - 90 Dakota 2WD / 4WD	5 on 4 1/2	1158421	1150421	1168421	1160421	-	1179421	-	-	-	-

All Dick Cepek Wheels use acorn (conical seat) lug nuts. Dick Cepek Tires & Wheels recommends duplex acorns on vehicles with GVWR of 6500lbs or greater.

**Footnotes:**

- \* = Hub centric application - wheel includes fitment ring.
- \*\* = Hub centric factory recommended - wheel will be centered on lug nuts.
- \*\*\* = Caps included may not fit some Center Hubs

- ^ = Included hub centering ring is not needed for this application, please discard.  
Included center cap will not work on manual hub applications.
- # = Some 3/4 ton and 1 ton vehicles use extra long center caps,  
Dick Cepek Tire & Wheels currently does not offer an Extra Long Center Cap for these Vehicles

Vehicle	Bolt Pattern	15x8	15x10	16x8	16x10	17x8.5	17x9	18x8.5	18x9	20x9	20x12
<b>DODGE / CHRYSLER</b>											
<b>05 - 10 Dakota</b>	5 on 5 1/2	-	-	1068402 1168401	1160401	1078402	1179402	1088402	1189402	1029402 1129402	-
<b>04 - 09 Durango, 07 - 09 Aspen</b>	5 on 5 1/2	-	-	-	-	1078402	-	1088402	1189402	1029402 1129402	-
<b>04 - 08 Pacifica AWD</b>	5 on 5	-	-	-	-	1078431	-	1088431	-	-	-
<b>07 - 10 Nitro</b>	5 on 4 1/2	-	-	1168421	1160421	-	1179421	-	-	-	-
<b>74 - 84 1/2T P.U. &amp; Ramcharger 4WD</b>	5 on 4 1/2	1158421	1150421	1168421	1160421	-	1179421	-	-	-	-
<b>74 - 84 1/2T P.U. &amp; Ramcharger 2WD</b>	5 on 4 1/2	1158421	1150421	1168421	-	-	1179421	-	-	-	-
<b>80 - 93 1/2T P/U, Ramcharger 4WD w/man. Hubs</b>	5 on 5 1/2	1158401	1150401	1168401	1160401	-	1179402	-	1189402	1129402	-
<b>85 - 93 1/2T P/U, Ramcharger 2WD</b>	5 on 5 1/2	1158401	1150401	1168401	1160401	-	1179402	-	1189402	1129402	-
<b>46 - 93 3/4,1T P/U 2WD/4WD</b>	8 on 6 1/2	-	-	1168482#	1160481#	-	1179481#	-	1189481#	1129481#	1121481#
<b>94 - 01 Ram 1500 P/U 2WD/4WD</b>	5 on 5 1/2	-	-	1068402 1168401	1160401	1078402	1179402	1088402	1189402	1029402 1129402	-

All Dick Cepek Wheels use acorn (conical seat) lug nuts. Dick Cepek Tires & Wheels recommends duplex acorns on vehicles with GVWR of 6500lbs or greater.

**Footnotes:**

- \* = Hub centric application - wheel includes fitment ring.
- \*\* = Hub centric factory recommended - wheel will be centered on lug nuts.
- \*\*\* = Caps included may not fit some Center Hubs

- ^ = Included hub centering ring is not needed for this application, please discard.  
Included center cap will not work on manual hub applications.
- # = Some 3/4 ton and 1 ton vehicles use extra long center caps,  
Dick Cepek Tire & Wheels currently does not offer an Extra Long Center Cap for these Vehicles

Vehicle	Bolt Pattern	15x8	15x10	16x8	16x10	17x8.5	17x9	18x8.5	18x9	20x9	20x12
<b>DODGE / CHRYSLER</b>											
02 - 10 Ram 1500 Truck 2WD / 4WD (Except Mega Cab)	5 on 5 1/2	-	-	-	-	1078402	1179402	1088402	1189402	1029402 1129402	-
94 - 01 Ram 2500 & 3500 P/U 2WD/4WD	8 on 6 1/2	-	-	1068482# 1168482#	1160481#	1078482#	1179481#	1088482#	1189481#	1129481#	1121481#
02 - 10 Ram 2500 & 3500 P/U 2WD/4WD (Including 1500 Mega Cab)	8 on 6 1/2	-	-	1168482#	1160481#	1078482#	-	1088482#	1189481#	1029482# 1129481#	1121481#
74 - 84 1/2T Van	5 on 4 1/2	1158421	-	1168421	-	-	1179421	-	-	-	-
85 - 93 1/2T Van	5 on 5 1/2	1158401	-	1168401	-	-	1179402	-	1189402	1129402	-
94 - 03 B150 & B1500 Van	5 on 5 1/2	1158401	-	1168401	-	-	-	-	-	-	-
3/4 & 1T Van & Ram Wagon	8 on 6 1/2	-	-	1168482#	-	-	1179481#	-	1189481#	1129481#	-
<b>FORD</b>											
83 - 92 Ranger, Bronco II 2WD/4WD	5 on 4 1/2	1158421	1150421	1168421	1160421	-	1179421	-	-	-	-
93 - 97 Ranger 2WD/4WD	5 on 4 1/2	1158421	1150421	1168421	1160421	-	1179421	-	-	-	-
98 - 10 Ranger 2WD (Coil Spring A-Arm Front Suspension)	5 on 4 1/2	1158421	1150421	1168421	1160421	-	1179421	-	-	-	-

All Dick Cepek Wheels use acorn (conical seat) lug nuts. Dick Cepek Tires & Wheels recommends duplex acorns on vehicles with GVWR of 6500lbs or greater.

**Footnotes:**

- \* = Hub centric application - wheel includes fitment ring.
- \*\* = Hub centric factory recommended - wheel will be centered on lug nuts.
- \*\*\* = Caps included may not fit some Center Hubs

- ^ = Included hub centering ring is not needed for this application, please discard.  
Included center cap will not work on manual hub applications.
- # = Some 3/4 ton and 1 ton vehicles use extra long center caps,  
Dick Cepek Tire & Wheels currently does not offer an Extra Long Center Cap for these Vehicles

Vehicle	Bolt Pattern	15x8	15x10	16x8	16x10	17x8.5	17x9	18x8.5	18x9	20x9	20x12
<b>FORD</b>											
98 - 10 Ranger 4WD & Ranger EDGE 2WD (Torsion Bar A-Arm Front Suspension)	5 on 4 1/2	-	-	1168421	1160421	-	1179421	-	-	-	-
01 - 04 Escape	5 on 4 1/2	1158421	-	1168421	-	-	1179421	-	-	-	-
05 - 10 Escape, Mercury Mariner	5 on 4 1/2	-	-	1168421	-	-	1179421	-	-	-	-
91 - 01 Explorer, Mercury Mountaineer 2WD/4WD	5 on 4 1/2	1158421	1150421	1168421	1160421	-	1179421	-	-	-	-
02 - 05 Explorer, Mercury Mountaineer	5 on 4 1/2	-	-	1168421	1160421	-	1179421	-	-	-	-
06 - 10 Explorer, Mercury Mountaineer	5 on 4 1/2	-	-	-	-	-	1179421	-	-	-	-
03 - 05 Lincoln Aviator	5 on 4 1/2	-	-	-	-	-	1179421	-	-	-	-
07 - 10 Explorer Sport-Trac	5 on 4 1/2	-	-	1168421	1160421	-	1179421	-	-	-	-
66 - 96 Bronco	5 on 5 1/2	1158401	1150401	1168401	1160401	-	1179402	-	1189402	1129402	-
65 - 79 F-100, 150 2WD/4WD	5 on 5 1/2	1158401	1150401	1168401	1160401	-	1179402	-	1189402	1129402	-

All Dick Cepek Wheels use acorn (conical seat) lug nuts. Dick Cepek Tires & Wheels recommends duplex acorns on vehicles with GVWR of 6500lbs or greater.

**Footnotes:**

- \* = Hub centric application - wheel includes fitment ring.
- \*\* = Hub centric factory recommended - wheel will be centered on lug nuts.
- \*\*\* = Caps included may not fit some Center Hubs

- ^ = Included hub centering ring is not needed for this application, please discard.  
Included center cap will not work on manual hub applications.
- # = Some 3/4 ton and 1 ton vehicles use extra long center caps,  
Dick Cepek Tire & Wheels currently does not offer an Extra Long Center Cap for these Vehicles

Vehicle	Bolt Pattern	15x8	15x10	16x8	16x10	17x8.5	17x9	18x8.5	18x9	20x9	20x12
<b>FORD</b>											
80 - 96 F-150 2WD/4WD	5 on 5 1/2	1158401	1150401	1168401	1160401	-	1179402	-	1189402	1129402	-
94 - 96 F-150 Lightning P/U	5 on 5 1/2	-	-	-	-	-	1179402	-	1189402	1129402	-
97 - 03 F-150 2WD/4WD	5 on 135mm	-	-	1168452**	1160452**	-	1179452**	-	-	-	-
<b>FORD</b>											
97 - 02 Expedition / Navigator 2WD/4WD	5 on 135mm	-	-	-	-	-	1179452**	-	**	-	-
03 - 10 Expedition	6 on 135mm	-	-	-	-	-	-	1088462**	1189462**	1029462** 1129462**	-
03 - 10 Navigator 2WD/4WD	6 on 135mm	-	-	-	-	-	-	1088462**	1189462**	1029462** 1129462**	-
04 - 10 F150 2WD/4WD	6 on 135mm	-	-	-	-	1078462**	1179462**	1088462**	1189462**	1029462** 1129462**	-
48 - 97 F-250, F-350 2WD/4WD	8 on 6 1/2	-	-	1168482#	1160481#	-	1179481#	-	1189481#	1129481#	1121481#
98 - 04 F250 Superduty 2WD/4WD	8 on 170mm	-	-	1068170*** 1168170***	-	1078170***	1179170***	1088170***	1189170***	1029170*** 1129170***	1121170***
98 - 04 F350 Superduty 2WD/4WD	8 on 170mm	-	-	1068170*** 1168170***	-	-	-	1088170***	1189170***	1029170*** 1129170***	1121170***

All Dick Cepek Wheels use acorn (conical seat) lug nuts. Dick Cepek Tires & Wheels recommends duplex acorns on vehicles with GVWR of 6500lbs or greater.

**Footnotes:**

- \* = Hub centric application - wheel includes fitment ring.
- \*\* = Hub centric factory recommended - wheel will be centered on lug nuts.
- \*\*\* = Caps included may not fit some Center Hubs

- ^ = Included hub centering ring is not needed for this application, please discard.  
Included center cap will not work on manual hub applications.
- # = Some 3/4 ton and 1 ton vehicles use extra long center caps,  
Dick Cepek Tire & Wheels currently does not offer an Extra Long Center Cap for these Vehicles

Vehicle	Bolt Pattern	15x8	15x10	16x8	16x10	17x8.5	17x9	18x8.5	18x9	20x9	20x12
<b>FORD</b>											
<b>05 - 10 F250 &amp; F350 Superduty 2WD/4WD</b>	8 on 170mm	-	-	-	-	1078170**#	1179170**#	1088170**#	1189170**#	1029170**# 1129170**#	1121170**#
<b>00 - 05 Excursion 2WD/4WD</b>	8 on 170mm	-	-	1068170**# 1168170**#	-	1078170**#	1179170**#	1088170**#	1189170**#	1029170**# 1129170**#	1121170**#
<b>92 - 06 E150 Van</b>	5 on 5 1/2	1158401	-	1068402 1168401	-	-	1179402	-	1189402	1129402	-
<b>07 - 10 E150 Van</b>	8 on 6 1/2	-	-	1168482#	1160481#	-	1179481#	-	1189481#	1129481#	-
<b>48 - 08 E250 &amp; E350 Van</b>	8 on 6 1/2	-	-	1168482#	1160481#	-	1179481#	-	1189481#	1129481#	-
<b>HONDA / ISUZU / KIA</b>											
<b>83 - 95 Pickup</b>	6 on 5 1/2	1158411	1150411	1068412^ 1168412^	1160412^	1078412^	1179412^	1088412^	1189412^	1129412^	-
<b>84 - 99 Amigo 98 - 99 Rodeo 84 - 99 Trooper II</b>	6 on 5 1/2	-	-	1068412^ 1168412^	1160412^	1078412^	1179412^	1088412^ 1088413^	1189412^	1029412^ 1029413^ 1129412^	-
<b>97 - 02 Passport 00 - 04 Rodeo</b>	6 on 5 1/2	-	-	1068412^ 1168412^	1160412^	1078412^	1179412^	1088412^ 1088413^	1189412^	1029412^ 1029413^ 1129412^	-
<b>02 - 04 Axiom</b>	6 on 5 1/2	-	-	-	-	-	1179412^	1088412^ 1088413^	1189412^	1029412^ 1029413^ 1129412^	-
<b>2000 Amigo 97 - 02 Trooper 97 - 99 SLX</b>	6 on 5 1/2	-	-	1068412^ 1168412^	-	1078412^	1179412^	1088412^	1189412^	1129412^	-
<b>03 - 08 Pilot</b>	5 on 4 1/2	-	-	1168421	-	-	1179421	-	-	-	-
<b>02 - 09 Sorento</b>	5 on 5 1/2	-	-	-	-	1078402	1179402	1088402	1189402	1029402 1129402	-

All Dick Cepek Wheels use acorn (conical seat) lug nuts. Dick Cepek Tires & Wheels recommends duplex acorns on vehicles with GVWR of 6500lbs or greater.

**Footnotes:**

- \* = Hub centric application - wheel includes fitment ring.
- \*\* = Hub centric factory recommended - wheel will be centered on lug nuts.
- \*\*\* = Caps included may not fit some Center Hubs

- ^ = Included hub centering ring is not needed for this application, please discard.  
Included center cap will not work on manual hub applications.
- # = Some 3/4 ton and 1 ton vehicles use extra long center caps,  
Dick Cepek Tire & Wheels currently does not offer an Extra Long Center Cap for these Vehicles

Vehicle	Bolt Pattern	15x8	15x10	16x8	16x10	17x8.5	17x9	18x8.5	18x9	20x9	20x12
<b>JEEP</b>											
06 - 10 Commander	5 on 5	-	-	-	-	1078431	1179431	1088431	1189431	-	-
93 - 98 Grand Cherokee	5 on 4 1/2	1158421	1150421	1168421	1160421	-	1179421	-		-	-
99 - 10 Grand Cherokee (Except SRT8)	5 on 5	-	-	-	-	1078431	1179431	1088431	1189431	-	-
07 - 10 Compass, Patriot	5 on 4 1/2	-	-	1168421	-	-	1179421	-		-	-
87 - 96 Wrangler YJ	5 on 4 1/2	1158421	1150421	1168421	1160421	-	1179421	-		-	-
97 - 06 Wrangler TJ	5 on 4 1/2	1158421	1150421	1168421	1160421	-	1179421	-		-	-
07 - 10 Wrangler JK	5 on 5	-	-	1168431	-	1078431	1179431	1088431	1189431	-	-
84 - 01 Cherokee, Comanche	5 on 4 1/2	1158421	1150421	1168421	1160421	-	1179421	-		-	-
02 - 10 Liberty	5 on 4 1/2	-	-	1168421	1160421	-	1179421	-		-	-
55 - 86 CJ 5, 7, 8	5 on 5 1/2	1158401	1150401	-	-	-	1179402	-	1189402	1129402	-

All Dick Cepek Wheels use acorn (conical seat) lug nuts. Dick Cepek Tires & Wheels recommends duplex acorns on vehicles with GVWR of 6500lbs or greater.

**Footnotes:**

- \* = Hub centric application - wheel includes fitment ring.
- \*\* = Hub centric factory recommended - wheel will be centered on lug nuts.
- \*\*\* = Caps included may not fit some Center Hubs

- ^ = Included hub centering ring is not needed for this application, please discard.  
Included center cap will not work on manual hub applications.
- # = Some 3/4 ton and 1 ton vehicles use extra long center caps,  
Dick Cepek Tire & Wheels currently does not offer an Extra Long Center Cap for these Vehicles

Vehicle	Bolt Pattern	15x8	15x10	16x8	16x10	17x8.5	17x9	18x8.5	18x9	20x9	20x12
<b>JEEP</b>											
74 - 91 J10, Wagoneer Fullsize	6 on 5 1/2	1158411	1150411	1168412^	-	-	1179412^	-	1189412^	1129412^	-
74 - 88 J20 P/U	8 on 6 1/2	-	-	1168482#	1160481#	-	1179481#	-	1189481#	1129481#	-
<b>MAZDA</b>											
77 - 93 Pickup 2WD & 4WD	6 on 5 1/2	1158411	-	1168412^	1160412^	-	1179412^	-	1189412^	1129412^	-
94 - 97 Pickup 2WD/4WD	5 on 4 1/2	1158421	1150421	1168421	1160421	-	1179421	-	-	-	-
98 - 09 Pickup 2WD (Coil Spring A-Arm Front Suspension)	5 on 4 1/2	1158421	1150421	1168421	1160421	-	1179421	-	-	-	-
98 - 09 Pickup 4WD (Torsion Bar A-Arm Front Suspension)	5 on 4 1/2	-	-	1168421	1160421	-	1179421	-	-	-	-
91 - 94 Navajo	5 on 4 1/2	1158421	1150421	1168421	1160421	-	1179421	-	-	-	-
01 - 10 Tribute	5 on 4 1/2	-	-	1168421	-	-	1179421	-	-	-	-

All Dick Cepek Wheels use acorn (conical seat) lug nuts. Dick Cepek Tires & Wheels recommends duplex acorns on vehicles with GVWR of 6500lbs or greater.

**Footnotes:**

- \* = Hub centric application - wheel includes fitment ring.
- \*\* = Hub centric factory recommended - wheel will be centered on lug nuts.
- \*\*\* = Caps included may not fit some Center Hubs

- ^ = Included hub centering ring is not needed for this application, please discard.  
Included center cap will not work on manual hub applications.
- # = Some 3/4 ton and 1 ton vehicles use extra long center caps,  
Dick Cepek Tire & Wheels currently does not offer an Extra Long Center Cap for these Vehicles

Vehicle	Bolt Pattern	15x8	15x10	16x8	16x10	17x8.5	17x9	18x8.5	18x9	20x9	20x12
<b>MITSUBISHI</b>											
83 - 96 Pickup 2WD/4WD	6 on 5 1/2	1158411	-	1168412 <sup>^</sup>	1160412 <sup>^</sup>	-	1179412 <sup>^</sup>	-	1189412 <sup>^</sup>	1129412 <sup>^</sup>	-
03 - 10 Endeavor	5 on 4 1/2	-	-	-	-	-	1179421	-	-	-	-
84 - 06 Montero (Pajero)	6 on 5 1/2	-	-	1068412 <sup>^</sup> 1168412 <sup>^</sup>	1160412 <sup>^</sup>	1078412 <sup>^</sup>	1179412 <sup>^</sup>	1088412 <sup>^</sup>	1189412 <sup>^</sup>	1029412 <sup>^</sup> 1129412 <sup>^</sup>	-
97 - 04 Montero Sport***	6 on 5 1/2	-	-	1068412 <sup>^</sup> 1168412 <sup>^</sup>	1160412 <sup>^</sup>	1078412 <sup>^</sup>	1179412 <sup>^</sup>	1088412 <sup>^</sup> 1088413 <sup>^</sup>	1189412 <sup>^</sup>	1029412 <sup>^</sup> 1029413 <sup>^</sup> 1129412 <sup>^</sup>	-
06 - 09 Raider	5 on 5 1/2	-	-	1068402 1168401	1160401	1078402	1179402	1088402	1189402	1029402 1129402	-
<b>NISSAN / INFINITY</b>											
78 - 86 Pickup 2WD/4WD	6 on 5 1/2	1158411	1150411	1168412 <sup>^</sup>	1160412 <sup>^</sup>	-	1179412 <sup>^</sup>	-	1189412 <sup>^</sup>	1129412 <sup>^</sup>	-
87 - 97 Hardbody Pickup 2WD/4WD	6 on 5 1/2	1158411	1150411	1168412 <sup>^</sup>	1160412 <sup>^</sup>	-	1179412 <sup>^</sup>	-	1189412 <sup>^</sup>	1129412 <sup>^</sup>	-
98 - 04 Frontier P/U	6 on 5 1/2	1158411	1150411	1068412 <sup>^</sup> 1168412 <sup>^</sup>	1160412 <sup>^</sup>	1078412 <sup>^</sup>	1179412 <sup>^</sup>	1088412 <sup>^</sup> 1088413 <sup>^</sup>	1189412 <sup>^</sup>	1029412 <sup>^</sup> 1029413 <sup>^</sup> 1129412 <sup>^</sup>	-
86 - 99 Pathfinder	6 on 5 1/2	1158411	1150411	1068412 <sup>^</sup> 1168412 <sup>^</sup>	1160412 <sup>^</sup>	-	1179412 <sup>^</sup>	-	1189412 <sup>^</sup>	1129412 <sup>^</sup>	-
00 - 04 Pathfinder	6 on 5 1/2	-	-	1068412 <sup>^</sup> 1168412 <sup>^</sup>	1160412 <sup>^</sup>	1078412 <sup>^</sup>	1179412 <sup>^</sup>	1088412 <sup>^</sup> 1088413 <sup>^</sup>	1189412 <sup>^</sup>	1029412 <sup>^</sup> 1029413 <sup>^</sup> 1129412 <sup>^</sup>	-

All Dick Cepek Wheels use acorn (conical seat) lug nuts. Dick Cepek Tires & Wheels recommends duplex acorns on vehicles with GVWR of 6500lbs or greater.

**Footnotes:**

- \* = Hub centric application - wheel includes fitment ring.
- \*\* = Hub centric factory recommended - wheel will be centered on lug nuts.
- \*\*\* = Caps included may not fit some Center Hubs

- <sup>^</sup> = Included hub centering ring is not needed for this application, please discard.  
Included center cap will not work on manual hub applications.
- # = Some 3/4 ton and 1 ton vehicles use extra long center caps,  
Dick Cepek Tire & Wheels currently does not offer an Extra Long Center Cap for these Vehicles

Vehicle	Bolt Pattern	15x8	15x10	16x8	16x10	17x8.5	17x9	18x8.5	18x9	20x9	20x12
<b>NISSAN / INFINITY</b>											
97 - 03 QX4	6 on 5 1/2	-	-	-	-	-	1179412 <sup>^</sup>	1088412 <sup>^</sup> 1088413 <sup>^</sup>	1189412 <sup>^</sup>	1029412 <sup>^</sup> 1029413 <sup>^</sup> 1129412 <sup>^</sup>	-
00 - 04 Xterra***	6 on 5 1/2	-	-	1068412 <sup>^</sup> 1168412 <sup>^</sup>	1160412 <sup>^</sup>	1078412 <sup>^</sup>	1179412 <sup>^</sup>	-	1189412 <sup>^</sup>	1029412 <sup>^</sup> 1129412 <sup>^</sup>	-
04 - 10 Titan, Armada SE Off Road & QX56	6 on 5 1/2	-	-	-	-	1078412 <sup>^</sup>	1179412 <sup>^</sup>	1088412 <sup>^</sup> 1088413 <sup>^</sup>	1189412 <sup>^</sup>	1029412 <sup>^</sup> 1129412 <sup>^</sup>	-
<b>SUZUKI</b>											
86 - 91 Samurai	5 on 5 1/2	1158401	1150401	-	-	-	1179402	-	-	-	-
89 - 00 Sidekick	5 on 5 1/2	1158401	-	-	-	-	1179402	-	-	-	-
99 - 04 Vitara 2WD/4WD	5 on 5 1/2			1068402 1168401	1160401	1078402	1179402	1088431	1189402	1029402 1129402	
99 - 05 Grand Vitara 2WD/4WD	5 on 5 1/2			1068402 1168401	1160401	1078402	1179402	1088431	1189402	1029402 1129402	
<b>TOYOTA / LEXUS</b>											
84 - 94 P/U 2WD	5 on 4 1/2	1158421	-	1168421 1268421	1160421	-	1179421	-		-	-
79 - 94 Pickup 4WD*** and up to 96 4-Runner	6 on 5 1/2	1158411	1150411	1168412 <sup>^</sup>	1160412 <sup>^</sup>	-	1179412 <sup>^</sup>	-	1189412 <sup>^</sup>	1129412 <sup>^</sup>	<sup>^</sup>

All Dick Cepek Wheels use acorn (conical seat) lug nuts. Dick Cepek Tires & Wheels recommends duplex acorns on vehicles with GVWR of 6500lbs or greater.

**Footnotes:**

\* = Hub centric application - wheel includes fitment ring.

\*\* = Hub centric factory recommended - wheel will be centered on lug nuts.

\*\*\* = Caps included may not fit some Center Hubs

<sup>^</sup> = Included hub centering ring is not needed for this application, please discard.  
Included center cap will not work on manual hub applications.

# = Some 3/4 ton and 1 ton vehicles use extra long center caps,  
Dick Cepek Tire & Wheels currently does not offer an Extra Long Center Cap for these Vehicles

Vehicle	Bolt Pattern	15x8	15x10	16x8	16x10	17x8.5	17x9	18x8.5	18x9	20x9	20x12
<b>TOYOTA / LEXUS</b>											
95 - 10 Tacoma 2WD - NON PreRunner 2WD	5 on 4 1/2	1158421	1150421	1168421 1268421	1160421	-	1179421	-	-	-	-
95 - 04 Tacoma 4WD Standard Cab 4Cyl. Truck	6 on 5 1/2	1158411	1150411	1068412^ 1168412^	1160412^	1078412^	1179412^	1088412^ 1088413^	1189412^	1029412^ 1029413^ 1129412^	-
95 - 04 Tacoma 4WD - Extra-Cab 4cyl. & all 6cyl. Including TRD & PreRunner Pkgs.	6 on 5 1/2	-	-	1068412^ 1168412^	1160412^	1078412^	1179412^	1088412^ 1088413^	1189412^	1029412^ 1029413^ 1129412^	-
05 - 10 Tacoma 4WD Standard Cab 4Cyl. Truck	6 on 5 1/2	-	-	-	-	1078412^	1179412^	1088412^ 1088413^	1189412^	1029412^ 1029413^ 1129412^	-
05 - 10 Tacoma 4WD - Extra-Cab 4cyl. & all 6cyl. Including TRD & PreRunner Pkgs.	6 on 5 1/2	-	-	-	-	1078412^	1179412^	1088412^ 1088413^	1189412^	1029412^ 1029413^ 1129412^	-
75 - 84 FJ40 Landcruiser	6 on 5 1/2	1158411	1150411	1168412^	-	-	1179412^	-	1189412^	1129412^	-
84 - 92 FJ60 Landcruiser	6 on 5 1/2	1158411	1150411	1168412^	-	-	1179412^	-	1189412^	1129412^	-
94 - 97 Landcruiser 96 - 97 LX450	6 on 5 1/2	-	-	1168412^	-	-	1179412^	-	-	-	-
98 - 07 Landcruiser 100 99 - 07 LX470	5X150	-	-	-	-	1078403	-	1088403	-	1029403	-
08 - 10 Landcruiser 200 Series 08 - 10 LX570	5X150							1088403		1029403	

All Dick Cepek Wheels use acorn (conical seat) lug nuts. Dick Cepek Tires & Wheels recommends duplex acorns on vehicles with GVWR of 6500lbs or greater.

**Footnotes:**

- \* = Hub centric application - wheel includes fitment ring.
- \*\* = Hub centric factory recommended - wheel will be centered on lug nuts.
- \*\*\* = Caps included may not fit some Center Hubs

- ^ = Included hub centering ring is not needed for this application, please discard.  
Included center cap will not work on manual hub applications.
- # = Some 3/4 ton and 1 ton vehicles use extra long center caps,  
Dick Cepek Tire & Wheels currently does not offer an Extra Long Center Cap for these Vehicles

Vehicle	Bolt Pattern	15x8	15x10	16x8	16x10	17x8.5	17x9	18x8.5	18x9	20x9	20x12
<b>TOYOTA / LEXUS</b>											
<b>03 - 09 GX470</b>	6 on 5 1/2	-	-	-	-	1078412 <sup>^</sup>	-	1088412 <sup>^</sup> 1088413 <sup>^</sup>	1189412 <sup>^</sup>	1029412 <sup>^</sup> 1029413 <sup>^</sup> 1129412 <sup>^</sup>	-
<b>06 - 10 FJ Cruiser</b>	6 on 5 1/2	-	-	-	-	1078412 <sup>^</sup>	1179412 <sup>^</sup>	1088412 <sup>^</sup> 1088413 <sup>^</sup>	1189412 <sup>^</sup>	1029412 <sup>^</sup> 1129412 <sup>^</sup>	-
<b>93 - 98 T100 2WD</b>	6 on 5 1/2	1158411	1150411	1068412 <sup>^</sup> 1168412 <sup>^</sup>	1160412 <sup>^</sup>	1078412 <sup>^</sup>	1179412 <sup>^</sup>	1088412 <sup>^</sup> 1088413 <sup>^</sup>	1189412 <sup>^</sup>	1029412 <sup>^</sup> 1029413 <sup>^</sup> 1129412 <sup>^</sup>	-
<b>93 - 98 T100 4WD***</b>	6 on 5 1/2	1158411	1150411	1068412 <sup>^</sup> 1168412 <sup>^</sup>	1160412 <sup>^</sup>	1078412 <sup>^</sup>	1179412 <sup>^</sup>	1088412 <sup>^</sup>	1189412 <sup>^</sup>	1029412 <sup>^</sup> 1129412 <sup>^</sup>	-
<b>00 - 06 Tundra</b>	6 on 5 1/2	-	-	-	-	1078412 <sup>^</sup>	1179412 <sup>^</sup>	1088412 <sup>^</sup> 1088413 <sup>^</sup>	1189412 <sup>^</sup>	1029412 <sup>^</sup> 1029413 <sup>^</sup> 1129412 <sup>^</sup>	-
<b>07 - 10 Tundra</b>	5X150	-	-	-	-	-	-	1088403	-	1029403	-
<b>97 - 09 4-Runner</b>	6 on 5 1/2	-	-	-	-	-	1179412 <sup>^</sup>	-	1189412 <sup>^</sup>	1029412 <sup>^</sup> 1129412 <sup>^</sup>	-
<b>2010 4-Runner</b>	6 on 5 1/2	-	-	-	-	1078412 <sup>^</sup>	1179412 <sup>^</sup>	1088412 <sup>^</sup>	1189412 <sup>^</sup>	1129412 <sup>^</sup>	-
<b>01 - 07 Sequoia 2WD/4WD</b>	6 on 5 1/2	-	-	-	-	1078412 <sup>^</sup>	1179412 <sup>^</sup>	1088412 <sup>^</sup> 1088413 <sup>^</sup>	1189412 <sup>^</sup>	1029412 <sup>^</sup> 1129412 <sup>^</sup>	-
<b>08 - 10 Sequoia</b>	5X150	-	-	-	-	-	-	1088403	-	1029403	-

All Dick Cepek Wheels use acorn (conical seat) lug nuts. Dick Cepek Tires & Wheels recommends duplex acorns on vehicles with GVWR of 6500lbs or greater.

**Footnotes:**

\* = Hub centric application - wheel includes fitment ring.

\*\* = Hub centric factory recommended - wheel will be centered on lug nuts.

\*\*\* = Caps included may not fit some Center Hubs

<sup>^</sup> = Included hub centering ring is not needed for this application, please discard.

Included center cap will not work on manual hub applications.

# = Some 3/4 ton and 1 ton vehicles use extra long center caps,

Dick Cepek Tire & Wheels currently does not offer an Extra Long Center Cap for these Vehicles



Dick Cepek Tires & Wheels  
4600 Prosper Drive, Stow, OH 44224  
PH. (330) 928-9092 • FAX (330) 928-0503

[www.dickcepek.com](http://www.dickcepek.com)

All specifications subject to change without notice. Not responsible for typographical errors.

PRINTED IN USA

DICK CEPEK® 08/11