



# Wheel Fitment Guide

2008

# IMPORTANT WHEEL GUIDE INFORMATION

## PLEASE READ!

This guide is presented as a general sales and reference guideline for Dick Cepek Wheels ONLY. These suggestions are a starting point only and all fitment should be checked prior to mounting tires on wheels. These suggestions in no way express or imply safety or fitness of the vehicle or the minimum changes which may be required to install Dick Cepek Wheels.

All Wheel Lug Nuts Must Be Re-torqued After Driving The Vehicle 100 Miles.

## CAUTION!

If changing the overall tire diameter from the original, the speedometer accuracy and anti-lock brake system (ABS) may be affected, as well as automatic transmission shift points.

## CAUTION!

Vehicles should not be fitted with smaller diameter wheels than the original equipment wheels as resulting clearance issues may arise due to diameter/offset changes. Always test fit wheels for clearance before mounting tires.

## LIMITED LIFETIME WARRANTY

Dick Cepek Tires warrants to the original purchaser that a new Dick Cepek Wheel is free from defects in material and workmanship and agrees to replace a Dick Cepek Wheel which fails in normal use and service resulting from defects in material and workmanship for the life of the vehicle for which said wheel was intended and purchased for. Dick Cepek Tires does not warrant any wheel which has been subject to misuse or abuse including the following; (a) Using tires which are oversized according to the standards recommended by the Tire and Rim Association, Inc.; (b) Loading the wheel beyond the applicable maximum wheel load as specified by Dick Cepek Tires; (c) Any type of racing or activity which subjects wheels to the abuse of racing, whether on the road or off; (d) Inflating beyond the maximum specified on any given tire size as specified by Dick Cepek Tires; (e) Changing or altering the original condition of the wheel or by subjecting it to any processing such as welding or straightening.

THERE IS NO WARRANTY THAT WHEELS ARE MERCHANTABLE OR SATISFACTORY FOR ANY PARTICULAR PURPOSE NOR IS THERE ANY OTHER WARRANTY EXPRESSED OR IMPLIED EXCEPT AS SET FORTH HEREIN. Dick Cepek Tires shall not be liable for any incidental or consequential damages for any breach of warranty, its liability and the purchaser's exclusive remedy being expressly limited to replacement of defective wheel, as herein provided. Replacement will be handled by an authorized Dick Cepek Tire Dealer or Dick Cepek Tire representative.

This warranty gives you specific legal rights. You may also have other rights under applicable laws.

All **DC-1 Wheels** use acorn (conical seat) lug nuts. **Dick Cepek Tires & Wheels** recommends duplex acorns on vehicles with GVWR of 6500lbs or greater. See Spec pages for footnotes.

Vehicle	Bolt Pattern	15x8	15x10	15x12	16x8	16x10	16x12	17x9	18x9	18x12	20x9	20x12
<b>CHEVY/GMC/CADILLAC</b>												
89 - 04 Geo Tracker	5 on 5 1/2	758401 958401	-	-	768401 868401 968401	-	-	779402 879402 979402	-	-	-	-
04 - 08 Colorado and GMC Canyon (All except Sport)	6 on 5 1/2	758411 958411	750411 950411	-	768412^ 868412^ 968412^	760412^ 860412^ 960412^	-	779412^ 879412^ 979412^	889412^ 989412^	-	829412^ 929412^	-
04 - 08 Colorado - Sport	6 on 5 1/2	-	-	-	-	-	-	779412^ 879412^ 979412^	889412^ 989412^	-	829412^ 929412^	-
73 - 91 K-5 Blazer, Jimmy, Suburban 1/2 T. 4WD	6 on 5 1/2	758411 958411	750411 950411	752411	868412^ 968412^	-	-	779412^ 879412^ 979412^	889412^ 989412^	-	829412^ 929412^	-
92 - 99 Blazer, Yukon, Tahoe, Suburban K1500 4WD	6 on 5 1/2	758411 958411	750411 950411	752411	768412^ 868412^ 968412^	760412^ 860412^ 960412^	761412^	379411 779412* 879412* 979412*	889412^ 989412^	781412^	829412^ 929412^	721412^
88 - 98 K 1500 P/U 4WD	6 on 5 1/2	758411 958411	750411 950411	752411	768412^ 868412^ 968412^	760412^ 860412^ 960412^	761412^	779412^ 879412^ 979412^	889412^ 989412^	781412^	829412^ 929412^	721412^
73 - 87 K-10 P/U 4WD	6 on 5 1/2	758411 958411	750411 950411	752411	868412^ 968412^	-	-	779412^ 879412^ 979412^	889412^ 989412^	781412^	829412^ 929412^	721412^
99 - 06 Silverado / Sierra 1500 2WD/4WD	6 on 5 1/2	-	-	-	868412* 968412*	760412* 860412* 960412*	761412*	779412* 879412* 979412*	889412* 989412*	781412*	829412* 929412*	721412*
07 - 08 Silverado / Sierra 1500 2WD/4WD	6 on 5 1/2	-	-	-	-	-	-	779412* 879412* 979412*	889412* 989412*	781412*	829412* 929412*	721412*

**Footnotes:**

\* = Hub centric application - wheel includes fitment ring.

\*\* = Hub centric factory recommended - wheel will be centered on lug nuts.

^ = Included hub centering ring is not needed for this application, please discard.

Included center cap will not work on manual hub applications.

# = Some 3/4 ton and 1 ton vehicles use extra long center caps,

we recommend using the Dick Cepek optional aluminum caps (sold separately).

All **DC-1 Wheels** use acorn (conical seat) lug nuts. **Dick Cepek Tires & Wheels** recommends duplex acorns on vehicles with GVWR of 6500lbs or greater. See Spec pages for footnotes.

Vehicle	Bolt Pattern	15x8	15x10	15x12	16x8	16x10	16x12	17x9	18x9	18x12	20x9	20x12
<b>CHEVY/GMC/CADILLAC</b>												
00 - 06 Tahoe, Yukon, Yukon XL, Denali 2WD/4WD	6 on 5 1/2	-	-	-	868412* 968412*	760412* 860412* 960412*	761412*	779412* 879412* 979412*	889412* 989412*	781412*	829412* 929412*	721412*
07 - 08 Tahoe, Yukon, Yukon XL, Denali 2WD/4WD	6 on 5 1/2	-	-	-	-	-	-	779412* 879412* 979412*	889412* 989412*	781412*	829412* 929412*	721412*
01 - 04 1500 Avalanche	6 on 5 1/2	-	-	-	868412* 968412*	760412* 860412* 960412*	761412*	779412* 879412* 979412*	889412* 989412*	781412*	829412* 929412*	721412*
07 - 08 1500 Avalanche	6 on 5 1/2	-	-	-	-	-	-	779412* 879412* 979412*	889412* 989412*	781412*	829412* 929412*	721412*
73 - 87 20 & 30 Series P/U 2WD/4WD	8 on 6 1/2	-	-	-	768482# 868482# 968482#	760481# 860481# 960481#	761481#	779481# 897481# 997481#	889481# 989481#	781481#	829481# 929481#	721481# 921481#
88 - 98 C2500/C3500 P/U	8 on 6 1/2	-	-	-	768482 868482 968482	760481 860481 960481	-	779481 897481 997481	889481 989481	781481	829481 929481	721481# 921481#
88 - 98 K2500 / K3500 P/U 4WD	8 on 6 1/2	-	-	-	768482 868482 968482	760481** 860481** 960481**	761481#	779481 897481 997481	889481 989481	781481	829481 929481	721481 921481
73 - 91 3/4 Ton Suburban 2WD/4WD	8 on 6 1/2	-	-	-	768482# 868482# 968482#	760481# 860481# 960481#	-	779481# 897481# 997481#	889481# 989481#	-	829481# 929481#	-
92 - 99 Suburban C/K2500 2WD/4WD	8 on 6 1/2	-	-	-	768482 868482 968482	760481 860481 960481	761481#	779481 897481 997481	889481 989481	781481	829481 929481	721481 921481

**Footnotes:**

\* = Hub centric application - wheel includes fitment ring.

\*\* = Hub centric factory recommended - wheel will be centered on lug nuts.

^ = Included hub centering ring is not needed for this application, please discard.

Included center cap will not work on manual hub applications.

# = Some 3/4 ton and 1 ton vehicles use extra long center caps,

we recommend using the Dick Cepek optional aluminum caps (sold separately).

All **DC-1 Wheels** use acorn (conical seat) lug nuts. **Dick Cepek Tires & Wheels** recommends duplex acorns on vehicles with GVWR of 6500lbs or greater. See Spec pages for footnotes.

Vehicle	Bolt Pattern	15x8	15x10	15x12	16x8	16x10	16x12	17x9	18x9	18x12	20x9	20x12
<b>CHEVY/GMC/CADILLAC</b>												
99 - 06 Silverado / Sierra 1500HD, 2500, Yukon XL/HD, Suburban HD 2WD/4WD	8 on 6 1/2	-	-	-	768482** 868482** 968482**	760481** 860481** 960481**	761481**	779481** 897481** 997481**	889481** 989481**	781481**	829481** 929481**	721481** 921481**
07 - 08 Silverado / Sierra 1500HD, 2500, Yukon XL/HD, Suburban HD 2WD/4WD	8 on 6 1/2	-	-	-	-	-	-	779481** 897481** 997481**	889481** 989481**	781481**	829481** 929481**	721481** 921481**
02 - 08 2500 Avalanche	8 on 6 1/2	-	-	-	768482** 868482** 968482**	760481** 860481** 960481**	761481**	779481** 897481** 997481**	889481** 989481**	781481**	829481** 929481**	721481** 921481**
03 - 08 Hummer - H2	8 on 6 1/2	-	-	-	768482** 868482** 968482**	760481** 860481** 960481**	761481**	779481** 897481** 997481**	889481** 989481**	781481**	829481** 929481**	721481** 921481**
06 - 08 Hummer - H3	6 on 5 1/2	-	-	-	768412^ 868412^ 968412^	760412^ 860412^ 960412^	-	779412^ 879412^ 979412^	889412^ 989412^	-	829412^ 929412^	-
2001 G20 Light Duty Express Van	6 on 5 1/2	-	-	-	768412^ 868412^ 968412^	-	-	779412^ 879412^ 979412^	889412^ 989412^	-	829412^ 929412^	-
2001 G20/G30 Van	8 on 6 1/2	-	-	-	768482 868482 968482	-	-	779481 897481 997481	889481 989481	-	829481 929481	-
<b>DAIHATSU</b>												
82 - 91 Rocky	5 on 5 1/2	758401 958401	-	-	768401 868401 968401	-	-	779402 879402 979402	-	-	-	-

**Footnotes:**

\* = Hub centric application - wheel includes fitment ring.

\*\* = Hub centric factory recommended - wheel will be centered on lug nuts.

^ = Included hub centering ring is not needed for this application, please discard.

Included center cap will not work on manual hub applications.

# = Some 3/4 ton and 1 ton vehicles use extra long center caps,

we recommend using the Dick Cepek optional aluminum caps (sold separately).

All **DC-1 Wheels** use acorn (conical seat) lug nuts. **Dick Cepek Tires & Wheels** recommends duplex acorns on vehicles with GVWR of 6500lbs or greater. See Spec pages for footnotes.

Vehicle	Bolt Pattern	15x8	15x10	15x12	16x8	16x10	16x12	17x9	18x9	18x12	20x9	20x12
<b>DODGE</b>												
87 - 91 Raider / D50 4WD	6 on 5 1/2	758411 958411	-	-	768412^ 868412^ 968412^	-	-	779412^ 879412^ 979412^	-	-	-	-
87 - 90 Dakota 2WD / 4WD	5 on 4 1/2	758421 958421	750421 950421	-	768421 868421 968421	760421 860421	-	779421 879421 979421	889421	-	-	-
05 - 08 Dakota	5 on 5 1/2	-	-	-	-	-	-	779402 879402 979402	889402^ 989402^	-	829402^ 929402^	-
04 - 08 Durango	5 on 5 1/2	-	-	-	-	-	-	779402 879402 979402	889402^ 989402^	-	829402^ 929402^	-
07 - 08 Nitro	5 on 4 1/2	-	-	-	768421 868421 968421	-	-	779421 879421 979421	-	-	-	-
74 - 84 1/2T P.U. & Ramcharger 4WD	5 on 4 1/2	758421 958421	750421 950421	-	768421 868421 968421	760421 860421	-	779421 879421 979421	889421	-	-	-
74 - 84 1/2T P.U. & Ramcharger 2WD	5 on 4 1/2	758421 958421	750421 950421	-	768421 868421 968421	-	-	779421 879421 979421	889421	-	-	-
80 - 93 1/2T P/U, Ramcharger 4WD w/man. hubs	5 on 5 1/2	758401 958401	750401 950401	752401	768401 868401 968401	760401 860401 960401	-	779402 879402 979402	889402^ 989402^	781402^	829402^ 929402^	721402^
85 - 93 1/2T P/U, Ramcharger 2WD	5 on 5 1/2	758401 958401	750401 950401	-	768401 868401 968401	760401 860401 960401	-	779402 879402 979402	889402^ 989402^	781402^	829402^ 929402^	721402^

**Footnotes:**

\* = Hub centric application - wheel includes fitment ring.

\*\* = Hub centric factory recommended - wheel will be centered on lug nuts.

^ = Included hub centering ring is not needed for this application, please discard.

Included center cap will not work on manual hub applications.

# = Some 3/4 ton and 1 ton vehicles use extra long center caps, we recommend using the Dick Cepek optional aluminum caps (sold separately).

All [DC-1 Wheels](#) use acorn (conical seat) lug nuts. [Dick Cepek Tires & Wheels](#) recommends duplex acorns on vehicles with GVWR of 6500lbs or greater. See Spec pages for footnotes.

Vehicle	Bolt Pattern	15x8	15x10	15x12	16x8	16x10	16x12	17x9	18x9	18x12	20x9	20x12
<b>DODGE</b>												
46 - 93 3/4,1T P/U 2WD/4WD	8 on 6 1/2	-	-	-	768482# 868482# 968482#	760481# 860481# 960481#	761481#	779481# 897481# 997481#	889481# 989582#	781481#	829481# 929481#	721481# 921481#
94 - 01 Ram 1500 P/U 2WD/4WD	5 on 5 1/2	758401 958401	750401 950401	752401	768401 868401 968401	760401 860401 960401	-	779402 879402 979402	889402 989402	781402	829402 929402	721402
02 - 08 Ram 1500 Truck 2WD / 4WD (Except Mega Cab)	5 on 5 1/2	-	-	-	-	-	-	779402 879402 979402	889402 989402	781402	829402 929402	721402
94 - 01 Ram 2500 & 3500 P/U 2WD/4WD	8 on 6 1/2	-	-	-	768482 868482 968482	760481 860481 960481	761481**	779481 897481 997481	889481# 989582#	781481	829481# 929481#	721481 921481
02 - 08 Ram 2500 & 3500 Truck 2WD / 4WD 1500 Mega Cab	8 on 6 1/2	-	-	-	-	-	-	779481 897481 997481	889481# 989582#	781481	829481# 929481#	721481 921481
74 - 84 1/2T Van	5 on 4 1/2	758421 958421	-	-	768421 868421 968421	-	-	779421 879421 979421	889421	-	-	-
85 - 93 1/2T Van	5 on 5 1/2	758401 958401	-	-	768401 868401 968401	-	-	779402 879402 979402	889402 989402	-	829402 929402	-
3/4 & 1T Van & Ram Wagon	8 on 6 1/2	-	-	-	768482# 868482# 968482#	-	-	779481# 897481# 997481#	889481# 989582#	-	829481# 929481#	-

**Footnotes:**

\* = Hub centric application - wheel includes fitment ring.

\*\* = Hub centric factory recommended - wheel will be centered on lug nuts.

^ = Included hub centering ring is not needed for this application, please discard.

Included center cap will not work on manual hub applications.

# = Some 3/4 ton and 1 ton vehicles use extra long center caps, we recommend using the Dick Cepek optional aluminum caps (sold separately).

All [DC-1 Wheels](#) use acorn (conical seat) lug nuts. [Dick Cepek Tires & Wheels](#) recommends duplex acorns on vehicles with GVWR of 6500lbs or greater. See Spec pages for footnotes.

Vehicle	Bolt Pattern	15x8	15x10	15x12	16x8	16x10	16x12	17x9	18x9	18x12	20x9	20x12
<b>FORD</b>												
83 - 92 Ranger, Bronco II 2WD/4WD	5 on 4 1/2	758421 958421	750421 950421	-	768421 868421 968421	760421 860421 960421	-	779421 879421 979421	889421	-	-	-
93 - 08 Ranger 2WD/4WD	5 on 4 1/2	758421 958421	750421 950421	-	768421 868421 968421	760421 860421 960421	-	779421 879421 979421	889421	-	-	-
01 - 08 Escape	5 on 4 1/2	758421 958421	-	-	768421 868421 968421	-	-	779421 879421 979421	-	-	-	-
91 - 01 Explorer, Mercury Mountaineer	5 on 4 1/2	758421 958421	750421 950421	-	768421 868421 968421	760421 860421 960421	-	779421 879421 979421	889421	-	-	-
02 - 05 Explorer, Mercury Mountaineer	5 on 4 1/2	-	-	-	768421 868421 968421	760421 860421 960421	-	779421 879421 979421	889421	-	-	-
02 - 08 Mercury Mountaineer	5 on 4 1/2	-	-	-	-	-	-	779421 879421 979421	889421	-	-	-
03 - 05 Lincoln Aviator	5 on 4 1/2	-	-	-	768421 868421 968421	760421 860421 960421	-	779421 879421 979421	889421	-	-	-
05 - 08 Mercury Mariner	5 on 4 1/2	-	-	-	768421 868421 968421	760421 860421 960421	-	779421 879421 979421	889421	-	-	-
01 - 08 Explorer Sport-Trac	5 on 4 1/2	-	-	-	768421 868421 968421	760421 860421 960421	-	779421 879421 979421	889421	-	-	-
66 - 79 Bronco	5 on 5 1/2	758401 958401	750401 950401	752401	768401 868401 968401	760401 860401 960401	-	779402 879402 979402	889402 989402	781402	829402 929402	721402

**Footnotes:**

\* = Hub centric application - wheel includes fitment ring.

\*\* = Hub centric factory recommended - wheel will be centered on lug nuts.

^ = Included hub centering ring is not needed for this application, please discard.

Included center cap will not work on manual hub applications.

# = Some 3/4 ton and 1 ton vehicles use extra long center caps,

we recommend using the Dick Cepek optional aluminum caps (sold separately).

All **DC-1 Wheels** use acorn (conical seat) lug nuts. **Dick Cepek Tires & Wheels** recommends duplex acorns on vehicles with GVWR of 6500lbs or greater. See Spec pages for footnotes.

Vehicle	Bolt Pattern	15x8	15x10	15x12	16x8	16x10	16x12	17x9	18x9	18x12	20x9	20x12
<b>FORD</b>												
80 - 96 Bronco	5 on 5 1/2	758401 958401	750401 950401	752401	768401 868401 968401	760401 860401 960401	-	779402 879402 979402	889402 989402	781402	829402 929402	721402
65 - 79 F-100, 150 2WD/4WD	5 on 5 1/2	758401 958401	750401 950401	752401	768401 868401 968401	760401 860401 960401	-	779402 879402 979402	889402 989402	781402	829402 929402	721402
80 - 96 F-150 2WD/4WD	5 on 5 1/2	758401 958401	750401 950401	752401	768401 868401 968401	760401 860401 960401	-	779402 879402 979402	889402 989402	781402	829402 929402	721402
94 - 96 F-150 Lightning P/U	5 on 5 1/2	-	-	-	-	-	-	779402 879402 979402	889402 989402	781402	829402 929402	721402
97 - 03 F-150 2WD/4WD	5 on 135mm	-	-	-	768452** 868452** 968452**	760452** 860452** 960452**	-	779452** 879452** 979452**	889452**	-	-	-
97 - 02 Expedition / Navigator 2WD/4WD	5 on 135mm	-	-	-	768452** 868452** 968452**	760452** 860452** 960452**	-	779452** 879452** 979452**	889452**	-	-	-
03 - 08 Expedition	6 on 135mm	-	-	-	-	-	-	779462** 879462** 979462**	889462** 989462**	-	829462** 929462**	-
03 - 08 Navigator 2WD/4WD	6 on 135mm	-	-	-	-	-	-	-	889462** 989462**	-	829462** 929462**	-
97 - 03 F-150 Lightning / Harley Davidson P/U	5 on 135mm	-	-	-	-	-	-	779452** 879452** 979452**	-	-	-	-

**Footnotes:**

\* = Hub centric application - wheel includes fitment ring.

\*\* = Hub centric factory recommended - wheel will be centered on lug nuts.

^ = Included hub centering ring is not needed for this application, please discard.

Included center cap will not work on manual hub applications.

# = Some 3/4 ton and 1 ton vehicles use extra long center caps,

we recommend using the Dick Cepek optional aluminum caps (sold separately).

All [DC-1 Wheels](#) use acorn (conical seat) lug nuts. [Dick Cepek Tires & Wheels](#) recommends duplex acorns on vehicles with GVWR of 6500lbs or greater. See Spec pages for footnotes.

Vehicle	Bolt Pattern	15x8	15x10	15x12	16x8	16x10	16x12	17x9	18x9	18x12	20x9	20x12
<b>FORD</b>												
04 - 08 F150 2WD/4WD	6 on 135mm	-	-	-	-	-	-	779462** 879462** 979462**	889462** 989462**	-	829462** 929462**	-
48 - 97 F-250, F-350 2WD/4WD	8 on 6 1/2	-	-	-	768482# 868482# 968482#	760481# 860481# 960481#	761481#	779481# 897481# 997481#	889481# 989481#	781481#	829481# 929481#	721481# 921481#
48 - 97 F-250, F-350 2WD/4WD w/Dana 60	8 on 6 1/2	-	-	-	768482# 868482# 968482#	760481# 860481# 960481#	761481#	779481# 897481# 997481#	889481# 989481#	781481#	829481# 929481#	721481# 921481#
98 - 04 F250 & F350 Superduty 2WD/4WD	8 on 170mm	-	-	-	768170**# 868170**# 968170**#	760170**# 860170**# 960170**#	761170**#	779170**# 879170**# 979170**#	889170**# 989170**#	781170**#	829170**# 929170**#	721170**# 921170**#
05 - 08 F250 & F350 Superduty 2WD/4WD	8 on 170mm	-	-	-	-	-	-	379170**# 479170**#	889170**# 989170**#	781170**#	829170**# 929170**#	721170**# 921170**#
00 - 05 Excursion 2WD/4WD	8 on 170mm	-	-	-	768170**# 868170**# 968170**#	760170**# 860170**# 960170**#	761170**#	779170**# 879170**# 979170**#	889170**# 989170**#	781170**#	829170**# 929170**#	721170**# 921170**#
48 - 08 E250 & E350 Van	8 on 6 1/2	-	-	-	768482# 868482# 968482#	760481# 860481# 960481#	-	779481# 897481# 997481#	889481# 989481#	-	829481# 929481#	-

**Footnotes:**

\* = Hub centric application - wheel includes fitment ring.

\*\* = Hub centric factory recommended - wheel will be centered on lug nuts.

^ = Included hub centering ring is not needed for this application, please discard.

Included center cap will not work on manual hub applications.

# = Some 3/4 ton and 1 ton vehicles use extra long center caps, we recommend using the Dick Cepek optional aluminum caps (sold separately).

All [DC-1 Wheels](#) use acorn (conical seat) lug nuts. [Dick Cepek Tires & Wheels](#) recommends duplex acorns on vehicles with GVWR of 6500lbs or greater. See Spec pages for footnotes.

Vehicle	Bolt Pattern	15x8	15x10	15x12	16x8	16x10	16x12	17x9	18x9	18x12	20x9	20x12
<b>HONDA/ ISUZU</b>												
83 - 95 Pickup	6 on 5 1/2	758411 958411	750411 950411	-	768412^ 868412^ 968412^	760412^ 860412^ 960412^	-	779412^ 879412^ 979412^	889412^ 989412^	-	829412^ 929412^	-
84 - 99 Amigo 98 - 99 Rodeo 84 - 99 Trooper II	6 on 5 1/2	758411 958411	750411 950411	-	768412^ 868412^ 968412^	760412^ 860412^ 960412^	-	779412^ 879412^ 979412^	889412^ 989412^	-	829412^ 929412^	-
97 - 02 Passport 00 - 04 Rodeo	6 on 5 1/2	758411 958411	-	-	768412^ 868412^ 968412^	-	-	779412^ 879412^ 979412^	889412^ 989412^	-	829412^ 929412^	-
2000 Amigo 97 - 02 Trooper 97 - 99 SLX	6 on 5 1/2	-	-	-	768412^ 868412^ 968412^	-	-	779412^ 879412^ 979412^	889412^ 989412^	-	829412^ 929412^	-
96 - 00 Hombre	6 on 5 1/2	758411 958411	-	-	768412^ 868412^ 968412^	-	-	779412^ 879412^ 979412^	889412^ 989412^	-	829412^ 929412^	-
03 - 08 Pilot	5 on 4 1/2	-	-	-	768421 868421 968421	760421 860421 960421	-	779421 879421 979421	889421	-	-	-
<b>JEEP</b>												
06-08 Commander	5 on 5	-	-	-	-	-	-	879431 979431	989431	-	-	-
93 - 98 Grand Cherokee	5 on 4 1/2	758421 958421	750421 950421	-	768421 868421 968421	760421 860421 960421	-	779421 879421 979421	889421	-	-	-
99 - 08 Grand Cherokee	5 on 5	-	-	-	-	-	-	879431 979431	989431	-	-	-
07 - 08 Patriot	5 on 4 1/2	-	-	-	768421 868421 968421	-	-	779421 879421 979421	889421	-	-	-

**Footnotes:**

\* = Hub centric application - wheel includes fitment ring.

\*\* = Hub centric factory recommended - wheel will be centered on lug nuts.

^ = Included hub centering ring is not needed for this application, please discard.

Included center cap will not work on manual hub applications.

# = Some 3/4 ton and 1 ton vehicles use extra long center caps, we recommend using the Dick Cepek optional aluminum caps (sold separately).

All **DC-1 Wheels** use acorn (conical seat) lug nuts. **Dick Cepek Tires & Wheels** recommends duplex acorns on vehicles with GVWR of 6500lbs or greater. See Spec pages for footnotes.

Vehicle	Bolt Pattern	15x8	15x10	15x12	16x8	16x10	16x12	17x9	18x9	18x12	20x9	20x12
<b>JEEP</b>												
87 - 96 Wrangler YJ	5 on 4 1/2	758421 958421	750421 950421	-	768421 868421 968421	760421 860421 960421	-	779421 879421 979421	889421	-	-	-
97 - 06 Wrangler TJ	5 on 4 1/2	758421 958421	750421 950421	-	768421 868421 968421	760421 860421 960421	-	779421 879421 979421	889421	-	-	-
07 - 08 Wrangler JK	5 on 5	-	-	-	868431 968431	-	-	879431 979431	989431	-	-	-
84 - 01 Cherokee, Comanche	5 on 4 1/2	758421 958421	750421 950421	-	768421 868421 968421	760421 860421 960421	-	779421 879421 979421	889421	-	-	-
02 - 08 Liberty	5 on 4 1/2	-	-	-	768421 868421 968421	760421 860421 960421	-	779421 879421 979421	889421	-	-	-
55 - 86 CJ 5, 7, 8	5 on 5 1/2	758401 958401	750401 950401	752401	-	-	-	779402 879402 979402	889402 989402	-	829402 929402	-
74 - 91 J10, Wagoneer Fullsize	6 on 5 1/2	758411 958411	750411 950411	752411	868412^ 968412^	-	-	779412^ 879412^ 979412^	889412^ 989412^	-	829412^ 929412^	-
74 - 88 J20 P/U	8 on 6 1/2	-	-	-	768482# 868482# 968482#	760481# 860481# 960481#	761481#	779481# 897481# 997481#	889481# 989481#	-	829481# 929481#	-

**Footnotes:**

\* = Hub centric application - wheel includes fitment ring.

\*\* = Hub centric factory recommended - wheel will be centered on lug nuts.

^ = Included hub centering ring is not needed for this application, please discard.

Included center cap will not work on manual hub applications.

# = Some 3/4 ton and 1 ton vehicles use extra long center caps, we recommend using the Dick Cepek optional aluminum caps (sold separately).

All [DC-1 Wheels](#) use acorn (conical seat) lug nuts. [Dick Cepek Tires & Wheels](#) recommends duplex acorns on vehicles with GVWR of 6500lbs or greater. See Spec pages for footnotes.

Vehicle	Bolt Pattern	15x8	15x10	15x12	16x8	16x10	16x12	17x9	18x9	18x12	20x9	20x12
<b>MAZDA</b>												
77 - 94 Pickup 2WD & 4WD	6 on 5 1/2	758411 958411	-	-	768412^ 868412^ 968412^	760412* 860412* 960412*	-	779412^ 879412^ 979412^	889412^ 989412^	-	829412^ 929412^	-
95 - 08 Pickup 2WD & 4WD	5 on 4 1/2	758421 958421	750421 950421	-	768421 868421 968421	760421 860421 960421	-	779421 879421 979421	889421	-	-	-
<b>MITSUBISHI</b>												
83 - 96 Pickup 2WD/4WD	6 on 5 1/2	758411 958411	-	-	768412^ 868412^ 968412^	760412* 860412* 960412*	-	779412^ 879412^ 979412^	889412^ 989412^	-	829412^ 929412^	-
03 - 08 Endeavor	5 on 4 1/2	-	-	-	-	-	-	779421 879421 979421	889421	-	-	-
84 - 04 Montero (Pajero)	6 on 5 1/2	758411 958411	-	-	768412^ 868412^ 968412^	760412* 860412* 960412*	-	779412^ 879412^ 979412^	889412^ 989412^	-	829412^ 929412^	-
05 - 06 Montero (Pajero)	6 on 5 1/2	-	-	-	-	-	-	779412^ 879412^ 979412^	889412^ 989412^	-	829412^ 929412^	-
06 - 08 Raider	5 on 5 1/2	-	-	-	768401 868401 968401	760401 860401 960401	-	779402 879402 979402	889402 989402	-	-	-

**Footnotes:**

\* = Hub centric application - wheel includes fitment ring.

\*\* = Hub centric factory recommended - wheel will be centered on lug nuts.

^ = Included hub centering ring is not needed for this application, please discard.

Included center cap will not work on manual hub applications.

# = Some 3/4 ton and 1 ton vehicles use extra long center caps, we recommend using the Dick Cepek optional aluminum caps (sold separately).

All **DC-1 Wheels** use acorn (conical seat) lug nuts. **Dick Cepek Tires & Wheels** recommends duplex acorns on vehicles with GVWR of 6500lbs or greater. See Spec pages for footnotes.

Vehicle	Bolt Pattern	15x8	15x10	15x12	16x8	16x10	16x12	17x9	18x9	18x12	20x9	20x12
<b>NISSAN</b>												
78 - 86 Pickup 2WD/4WD	6 on 5 1/2	758411 958411	750411 950411	-	768412^ 868412^ 968412^	760412^ 860412^ 960412^	-	779412^ 879412^ 979412^	889412^ 989412^	-	829412^ 929412^	-
87 - 97 Hardbody Pickup 2WD/4WD	6 on 5 1/2	758411 958411	750411 950411	-	768412^ 868412^ 968412^	760412^ 860412^ 960412^	-	779412^ 879412^ 979412^	889412^ 989412^	-	829412^ 929412^	-
04 - 08 Titan	6 on 5 1/2	-	-	-	-	-	-	-	889412^ 989412^	781412^	829412^ 929412^	721412^
<b>SUZUKI</b>												
86 - 91 Samurai	5 on 5 1/2	758401 958401	750401 950401	-	-	-	-	779402 879402 979402	-	-	-	-
89 - 00 Sidekick	5 on 5 1/2	758401 958401	-	-	-	-	-	779402 879402 979402	-	-	-	-
<b>TOYOTA</b>												
84 - 94 P/U 2WD	5 on 4 1/2	758421 958421	-	-	768421 868421 968421	760421 860421 960421	-	779421 879421 979421	889421	-	-	-
79 - 94 Pickup 4WD*** and up to 96 4-Runner***	6 on 5 1/2	758411 958411	750411 950411	752411	768412^ 868412^ 968412^	760412^ 860412^ 960412^	761412^	779412^ 879412^ 979412^	889412^ 989412^	781412^	829412^ 929412^	721412^
01 - 04 Tacoma 4WD Standard Cab 4Cyl. Truck and T-100 P/U***	6 on 5 1/2	758411 958411	750411 950411	752411	768412^ 868412^ 968412^	760412* 860412* 960412*	761412^	779412^ 879412^ 979412^	889412^ 989412^	781412^	829412^ 929412^	721412^
05 - 08 Tacoma - All V-6 and Extra-Cab 4cyl., including TRD & Pre-Runner Pkgs.	6 on 5 1/2	-	-	-	-	-	-	779412^ 879412^ 979412^	889412^ 989412^	781412^	829412^ 929412^	721412^
75 - 84 FJ40 Landcruiser***	6 on 5 1/2	758411 958411	750411 950411	752411	768412^ 868412^ 968412^	-	-	779412^ 879412^ 979412^	889412^ 989412^	-	829412^ 929412^	-

**Footnotes:**

- \* = Hub centric application - wheel includes fitment ring.
- \*\* = Hub centric factory recommended - wheel will be centered on lug nuts.
- \*\*\* = Caps included may not fit some Toyota center hubs.

- ^ = Included hub centering ring is not needed for this application, please discard.  
Included center cap will not work on manual hub applications.
- # = Some 3/4 ton and 1 ton vehicles use extra long center caps,  
we recommend using the Dick Cepek optional aluminum caps (sold separately).

All [DC-1 Wheels](#) use acorn (conical seat) lug nuts. [Dick Cepek Tires & Wheels](#) recommends duplex acorns on vehicles with GVWR of 6500lbs or greater. See Spec pages for footnotes.

Vehicle	Bolt Pattern	15x8	15x10	15x12	16x8	16x10	16x12	17x9	18x9	18x12	20x9	20x12
<b>TOYOTA</b>												
84 - 92 FJ60 Landcruiser***	6 on 5 1/2	758411 958411	750411 950411	-	768412^ 868412^ 968412^	-	-	779412^ 879412^ 979412^	889412^ 989412^	-	829412^ 929412^	-
94 - 97 Landcruiser	6 on 5 1/2	-	-	-	768412^ 868412^ 968412^	-	-	779412^ 879412^ 979412^	-	-	-	-
07 - 08 FJ Cruiser***	6 on 5 1/2	-	-	-	-	-	-	779412^ 879412^ 979412^	889412^ 989412^	-	829412^ 929412^	-
00 - 06 Tundra	6 on 5 1/2	-	-	-	768412^ 868412^ 968412^	760412* 860412* 960412*	761412^	779412^ 879412^ 979412^	889412^ 989412^	781412^	829412^ 929412^	721412^
07 - 08 Tundra	5X150	-	-	-	-	-	-	879403	889403	-	829403	-
96 - 08 4-Runner, Sequoia	6 on 5 1/2	-	-	-	768412^ 868412^ 968412^	760412* 860412* 960412*	-	779412^ 879412^ 979412^	889412^ 989412^	-	829412^ 929412^	-

**Footnotes:**

\* = Hub centric application - wheel includes fitment ring.

\*\* = Hub centric factory recommended - wheel will be centered on lug nuts.

\*\*\* = Caps included may not fit some Toyota center hubs.

^ = Included hub centering ring is not needed for this application, please discard.

Included center cap will not work on manual hub applications.

# = Some 3/4 ton and 1 ton vehicles use extra long center caps, we recommend using the Dick Cepek optional tall caps (sold separately).

*Dick*  
**CEPEK**<sup>®</sup>  
TIRES & WHEELS

Dick Cepek Tires & Wheels  
4600 Prosper Drive, Stow, OH 44224  
PH. (330) 928-9092 • FAX (330) 928-0503

[www.dickcepek.com](http://www.dickcepek.com)

All specifications subject to change without notice. Not responsible for typographical errors.

PRINTED IN USA

DICK CEPEK<sup>®</sup> 12/08